

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

1 / 11



## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name : TEGO GLIDE 450  
Chemical Name : Polyether-modified polysiloxane

### 1.2. Recommended use of the chemical and restrictions on use

Recommended use : Industrial Use  
Non-recommended use(s) : None known.

### 1.3. Details of the supplier of the safety data sheet

Company : Evonik Corporation  
Consumer Specialties  
PO Box 1299  
HOPEWELL VA 23860  
USA  
  
Telephone : +1 (0)804 541-8658  
Telefax : +1 (0)804 541-2783  
E-mail : productsafety-cs@evonik.com

#### Contact Canada

Company : Evonik Canada Inc.  
PO Box 5057  
3380 South Service Road  
Burlington ON L7N 3J5  
Canada  
  
Telephone : +1 (0)905-336-3423  
Telefax : +1 (0)905-332-5632  
E-mail : productsafety-cs@evonik.com

### 1.4. Emergency telephone number

Emergency information : Non-Emergency Phone Number : (800) 732-5616  
In case of emergency call CHEMTREC US: 1-800-424-9300, CHEMTREC WORLD: 1-703-527-3887.

24 HOUR EMERGENCY TELEPHONE NUMBERS:  
CHEMTREC - US & CANADA toll free: +1-800-424-9300  
CHEMTREC - MEXICO toll free: 01-800-681-9531  
CHEMTREC GLOBAL - Collect calls accepted: +1-703-527-3887

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation 29CFR 1910.1200

Flammable liquids

Category 4

H227

### 2.2. Label elements

Signal word : Warning  
hazard statement : H227 - Combustible liquid

Precautionary : P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

2 / 11



Statement  
(Prevention)

P210d - Keep away from open flames / hot surfaces. - No smoking.

Precautionary  
Statement  
(Response)

: P370 + P378 - In case of fire: Use alcohol-resistant foam, carbon dioxide or dry sand for extinction.

Precautionary  
Statement (Storage)

: P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Not a hazardous substance or mixture according to 29 CFR 1910.1200.

## 2.3. Other hazards

None known

## 3. Composition/information on ingredients

### 3.1. Substances

#### Classification according to Regulation 29CFR 1910.1200

Chemical Name	NJ Trade secrets CAS-No.	Concentration	Classification
Siloxanes and Silicones, di-Me, 3-hydroxypropyl group-terminated, ethers with polyethylene- polypropylene glycol mono-Me ether (NAM;C	- 157479-55-5	Ø 84%	
Octamethylcyclotetrasiloxane	- 556-67-2	< 1.0 %	H361fd, 2 , Repr. H413, 4 , Aquatic Chronic H226, 3 , Flam. Liq.
Decamethylcyclopentasiloxane	- 541-02-6	< 1.0 %	H227, 4 , Flam. Liq.

Texts of H phrases, see in Chapter 16

### 3.2. Mixtures

-

## 4. First aid measures

### 4.1. Description of first aid measures

- General advice : Remove soiled or soaked clothing immediately
- Inhalation : Remove individual from site of exposure to fresh air.
- Skin contact : Immediately and thoroughly, wash off with soap and water.
- Eye contact : Flush eye(s) for 15 minutes or more; if irritation persists, consult a physician (preferably an eye specialist) and show MSDS.
- Ingestion : If swallowed, seek medical attention and show MSDS.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms : No information is on file to date regarding acute and/or delayed post-exposure symptoms and effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

3 / 11



## 5. Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : foam, carbon dioxide, dry powder, water spray.

Unsuitable extinguishing media : Full water jet

### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released:

- carbon dioxide, carbon monoxide
- Silicon dioxide

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways  
Do not discharge into the subsoil/soil.

### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material.  
Dispose of absorbed material in accordance with the regulations.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling : No special measures necessary if used correctly.

Handling : no data available

Hygiene measures : No smoking, eating or drinking allowed when using this product. Wash hands before breaks and at end of work shift.

General protective measures : no data available

### 7.2. Conditions for safe storage, including any incompatibilities

#### Prevention of fire and explosion

Information : No special measures required.

#### Storage

Information : none

## 8. Exposure controls/personal protection

### 8.1. Control parameters

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

4 / 11



## Exposure limit(s)

Ingredients	CAS-No.	Statutory basis/list (Update)	Value type (Form of exposure; Expressed as)	Value	Short-term
-------------	---------	-------------------------------	---	-------	------------

## 8.2. Exposure controls

### Engineering controls

Appropriate engineering controls : Good general (mechanical) ventilation should be sufficient to control airborne levels.

### Personal protective equipment

Eye protection : Use chemical resistant goggles.

Hand protection : Examples of suitable gloves are those made by the company Kächele-Cama Latex GmbH, Am Kreuzacker 9, D-36124 Eichenzell, e-mail vertrieb@kcl.de, with subsequent specification (test according to EN374); specific workplace conditions must be separately taken into account.

These recommendations apply only to the product mentioned in the material data safety sheet that we supply and the purpose that we indicate.

Glove material: gloves made of nitril (NBR)

Break through time: 480 min

Glove thickness: 0.11 mm

Glove material: gloves made of natural latex

Break through time: 480 min

Glove thickness: 0.5 mm

Glove material: gloves made of chloroprene (CR, e.g. Neoprene)

Break through time: 480 min

Glove thickness: 0.65 mm

Glove material: gloves made of butyl (IIR)

Break through time: 480 min

Glove thickness: 0.7 mm

Body Protection : light protective clothing

Respiratory protection : Respiratory protection is not required.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : liquid

Form : liquid

Colour : yellow, clear

Odour : slight, typical

Odour Threshold : not measured

pH : 4.8 (20 °C)  
40 g/l

Remarks: water

Melting point : not measured

Boiling point : not measured

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

5 / 11



Flash point	: 194 °F
Evaporation rate	: not measured
Flammability	: no data available
Upper Explosion/Ignition Limit	: not measured
Lower explosion limit	: not measured
Vapour pressure	: not measured
Relative vapour density	: not measured
Relative density	: no data available
Solubility	: not measured
Water solubility	: soluble
Partition coefficient (n-octanol/water)	: not measured
Autoignition temperature	: not measured
Thermal decomposition	: not measured
Viscosity, kinematic	: no data available
Viscosity, dynamic	: 150 - 400 mPa·s (25 °C) Method: DIN 53019
Explosive properties	: not measured
Oxidising properties	: not measured

## 9.2. Other information

Density	: 1.01 - 1.04 g/cm <sup>3</sup> (25 °C) Method: DIN 51757
Metal corrosion	: not measured
Ignition temperature	: not measured

## 10. Stability and reactivity

### 10.1. Reactivity

see section "Possibility of hazardous reactions"

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

6 / 11



## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No

No hazardous reactions with proper storage and handling.

## 10.4. Conditions to avoid

None with proper storing and handling.

## 10.5. Incompatible materials

Unknown

## 10.6. Hazardous decomposition products

None with proper storage and handling.

# 11. Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity (oral) : no data available

Acute toxicity (inhalation) : no data available

Acute toxicity (dermal) : no data available

Irritation/corrosion of the skin : no data available

Serious eye damage/ eye irritation : no data available

Respiratory/skin sensitization : no data available

Repeated dose toxicity : no data available

### CMR assessment

Carcinogenicity : no data available

Mutagenicity : no data available

Teratogenicity : no data available

Toxicity to reproduction : no data available

Carcinogenicity : Not listed by NTP, IARC, ACGIH, or OSHA as a carcinogen.

Specific Target Organ Toxicity - Single exposure : no data available

Specific Target Organ Toxicity - Repeated exposure : no data available

Aspiration hazard : No Aspiration toxicity classification

Other information : Proper use provided, no adverse health effects have been observed or have been come to our knowledge.  
Eye contact may produce an oil film over the eye-ball causing a harmless reversible shortlasting dimness of sight.

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

7 / 11



## 12. Ecological information

### Ecotoxicology Assessment

Acute aquatic toxicity : no data available

Chronic aquatic toxicity : no data available

### 12.1. Toxicity

Aquatic toxicity, fish : no data available

Aquatic toxicity, invertebrates : no data available

Aquatic toxicity, algae / aquatic plants : no data available

Toxicity in microorganisms : no data available

chronic toxicity in fish : no data available

Chronic toxicity in aquatic Invertebrates : no data available

Toxicity in organisms which live in the soil : no data available

Toxicity in terrestrial plants : no data available

Toxicity to Above-Ground Organisms : no data available

### 12.2. Persistence and degradability

Photodegradation : no data available

Biological degradability : no data available

Physico-chemical removability : no data available

Biochemical Oxygen Demand (BOD) : no data available

Chemical Oxygen Demand (COD) : no data available

relation of BOD/COD : no data available

Dissolved organic carbon (DOC) : no data available

Adsorbed organic : no data available

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

8 / 11



bound halogens  
(AOX)

Distribution among  
environmental  
compartments : no data available

## 12.3. Bioaccumulative potential

Bioaccumulation : no data available

## 12.4. Mobility in soil

Environmental  
distribution : no data available

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB  
assessment : no data available

## 12.6. Other adverse effects

General Information : Do not allow to enter soil, waterways or waste water canal.

# 13. Disposal considerations

## 13.1. Waste treatment methods

Product : In accordance with local authority regulations, take to special waste incineration plant

Contaminated  
packaging : If empty contaminated containers are recycled or disposed of, the receiver must be informed about possible hazards.

# 14. Transport information

Not dangerous according to transport regulations.

14.1 UN number: --

14.2 UN proper shipping name: --

14.3 Transport hazard class(es): --

14.4 Packing group: --

14.5 Environmental hazards: --

14.6 Special precautions for user: Yes

For USA only: This product is not regulated in packages < 119 gallons / 450 L. In bulk packages this product is a Combustible Liquid, NA1993.

# 15. Regulatory information

## Canada:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation and the (M)SDS contains all information required by the Controlled Products Regulation

Canada : WHMIS CLASSIFICATION  
Class B, Division 3, Combustible Liquid  
This product does not contain component(s) on the WHMIS Ingredient Disclosure List.



# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

9 / 11



## US regulations:

SARA Title III Section 311/312 Hazard Categories : Fire Hazard

Other regulations : CTFA: complies

State Right to Know : No components subject to "Right-To-Know" legislation in the following States: NJ, PA, MA and RI

SARA 313: This product contains no SARA Title III, Section 313 listed chemicals.

California Proposition 65 Statement : Notification : No  
This product does not contain any substance(s) which are defined by the state of California to cause cancer, birth defects, or other reproductive effects.

TSCA lists : TSCA 12B - Yes

- Octamethylcyclotetrasiloxane (CAS-No.: 556-67-2)

TSCA 4 - Yes

- Octamethylcyclotetrasiloxane (CAS-No.: 556-67-2)

TSCA 8D - Yes

- Octamethylcyclotetrasiloxane (CAS-No.: 556-67-2)
- Decamethylcyclopentasiloxane (CAS-No.: 541-02-6)

SEC 8(E) - Yes

- Decamethylcyclopentasiloxane (CAS-No.: 541-02-6)

HMIS Ratings

Health:	1
Flammability:	2
Reactivity:	0
Personal Protection:	X

## Notification status

USA (TSCA) : listed/registered or exempted  
Canada (DSL) : listed/registered or exempted

## 16. Other information

### List of references

Revision date : 11/25/2014

### Relevant H phrases from chapter 3

H226 : Flammable liquid and vapour.  
H227 : Combustible liquid  
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.  
H413 : May cause long lasting harmful effects to aquatic life.

## SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

10 / 11



Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED.

Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

# SAFETY DATA SHEET (SDS-US)

TEGO GLIDE 450

VA-No.

Version

1.16 / US

Revision date

11/25/2014

Print Date

09/22/2015

Page

11 / 11



## Legend

<b>ADR</b>	European Agreement concerning the International Carriage of Dangerous Goods by Road
<b>ADN</b>	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
<b>ADNR</b>	European agreement concerning the international carriage of dangerous goods by inland waterways (ADN)
<b>ASTM</b>	American Society for Testing and Materials
<b>ATP</b>	Adaptation to Technical Progress
<b>BCF</b>	Bioconcentration factor
<b>BetrSichV</b>	German Ordinance on Industrial Safety and Health
<b>c.c.</b>	closed cup
<b>CAS</b>	Chemical Abstract Services
<b>CESIO</b>	European Committee of Organic Surfactants and their Intermediates
<b>Chem G</b>	German Chemicals Act
<b>CMR</b>	carcinogenic-mutagenic-toxic for reproduction
<b>DIN</b>	German Institute for Standardization
<b>DMEL</b>	Derived minimum effect level
<b>DNEL</b>	Derived no effect level
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>EC50</b>	half maximal effective concentration
<b>GefStoffV</b>	German Ordinance on Hazardous Substances
<b>GGVSEB</b>	German ordinance for road, rail and inland waterway transportation of dangerous goods
<b>GGVSee</b>	German ordinance for sea transportation of dangerous goods
<b>GLP</b>	Good Laboratory Practice
<b>GMO</b>	Genetic Modified Organism
<b>IATA</b>	International Air Transport Association
<b>ICAO</b>	International Civil Aviation Organization
<b>IMDG</b>	International Maritime Dangerous Goods
<b>ISO</b>	International Organization For Standardization
<b>LOAEL</b>	Lowest observed adverse effect level
<b>LOEL</b>	Lowest observed effect level
<b>NOAEL</b>	No observed adverse effect level
<b>NOEC</b>	no observed effect concentration
<b>NOEL</b>	no observed effect level
<b>o. c.</b>	open cup
<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>OEL</b>	Occupational Exposure Limit
<b>PBT</b>	Persistent, bioaccumulative, toxic
<b>PEC</b>	Predicted effect concentration
<b>PNEC</b>	Predicted no effect concentration
<b>REACH</b>	REACH registration
<b>RID</b>	Convention concerning International Carriage by Rail
<b>STOT</b>	Specific Target Organ Toxicity
<b>SVHC</b>	Substances of Very High Concern
<b>TA</b>	Technical Instructions
<b>TPR</b>	Third Party Representative (Art. 4)
<b>TRGS</b>	Technical Rules for Hazardous Substances
<b>VCI</b>	German chemical industry association
<b>vPvB</b>	very persistent, very bioaccumulative
<b>VOC</b>	volatile organic compounds
<b>VwVwS</b>	German Administrative Regulation on the Classification of Substances Hazardous to Waters into Water Hazard Classes
<b>WGK</b>	Water Hazard Class
<b>WHO</b>	World Health Organization